

Atty Docket No. 021396-000000US

PTO FAX NO.: (703) 746-3124

ATTENTION: Examiner Sumesh Kaushal, Ph.D.
TELEPHONE NO.: (703) 305-6838

Group Art Unit 636

OFFICIAL COMMUNICATION

FOR THE PERSONAL ATTENTION OF

EXAMINER Kaushal, Sumesh, Phd.

CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that the following document(s), in re Application No. 09/173,864, is being facsimile transmitted to the Patent and Trademark Office on the date shown below.

Document(s) Attached

1. Claims 60-63 for discussion in a 3:00 p.m. (EST) conference call

Note: The attached information will be used during our 3:00 p.m. (EST) conference call.

Number of pages being transmitted, including this page: 3

Dated: April 25, 2002


William Schmonsees, Reg. No. 31,796

***PLEASE CONFIRM RECEIPT OF THIS PAPER BY
RETURN FACSIMILE AT (415) 576-0300***

TOWNSEND and TOWNSEND and CREW LLP
Two Embarcadero Center, 8th Floor
San Francisco, CA 94111-3834
Telephone: 650-326-2400
Fax: 650-326-2422

PA 3217579 v1

S.N. 09/173,864

DRAFT CLAIMS FOR DISCUSSION

1. A transgenic chicken having a transgene in the genetic material of its germ-line tissue, wherein the transgene is a replication-defective viral vector comprising an exogenous nucleic acid sequence encoding a protein selected from the group consisting of an interferon α , erythropoietin or GM-CSF, and a constitutive promoter, in operational and positional relationship to express said exogenous nucleic acid sequence.

2. A method for producing a transgenic chicken, which method comprises:

- a) providing a retroviral vector that comprises a protein coding sequence and a constitutive promoter operably linked to said coding sequence, where said promoter drives expression of the coding sequence in the tubular gland cells of a chicken oviduct;
- b) introducing said vector into chicken stage X embryonic cells;
- c) nurturing growth of a mature chimeric chicken from said cells;
- d) mating said chimeric chicken, either naturally or via artificial insemination with a host wild type chicken;
- e) screening the progeny of step d) for germ line expression of the protein coding sequence.

3. A method for producing an exogenous protein in an egg of a chicken, said protein selected from the group consisting of an interferon α , erythropoietin and GM-CSF, comprising:

- a) providing a retroviral vector that comprises a protein coding sequence and a constitutive promoter operably linked to said coding sequence, where said promoter drives expression of the coding sequence in the tubular gland cells of a chicken oviduct;
- b) introducing said vector into chicken stage X embryonic cells;
- c) nurturing growth of a mature chimeric chicken from said cells;
- d) mating said chimeric chicken, either naturally or via artificial insemination with a host wild type chicken;

- e) screening the progeny of step d) for germ line expression of the protein coding sequence;
 - f) mating the transgenic progeny with wild type chicken to produce eggs containing the exogenous protein.
4. The method of claim 3 further comprising extracting the exogenous protein from the egg.